

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	427	333/25	US-PGPUB; USPAT
2	BRS	L2	23	core same heli\$4 same balun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	204	343/859	US-PGPUB; USPAT
4	IS&R	L4	1	("6480173").PN.	USPAT

	Type	Ref #	Hits	Search Text
1	BRS	S1	4715	balun
2	BRS	S2	186629	printed adj circuit adj board
3	BRS	S3	669	S1 and S2
4	BRS	S4	332	S3 and capacit\$4 and induct\$4
5	BRS	S5	50	S4 and (half adj wavelength)
6	BRS	S6	2546	343/895
7	BRS	S7	271	343/821
8	BRS	S8	889	333/26
9	BRS	S9	427	333/25
10	BRS	S10	23	core same heli\$4 same balun
11	BRS	S11	204	343/859

	DBs
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	US-PGPUB; USPAT
9	US-PGPUB; USPAT
10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	US-PGPUB; USPAT